



Recommendation

FIFRA SECTION 2(ee) RECOMMENDATION FOR DISTRIBUTION AND USE IN THE STATE OF CALIFORNIA

CUPROFIX[®] ULTRA 40 DISPERSS[®] EPA Reg. No. 70506-201

Instructions for use on Almonds when co-applied with Agricultural Oil

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by USEPA

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all applicable instructions, restrictions, and precautions on the EPA-approved label. This label and the federally registered label must be in the possession of the user at the time of pesticide application.

CROP	DISEASE	RATE LBS Product/Acre	USE INSTRUCTIONS
Almonds	Bacterial Blast (<i>Pseudomonas</i>) Bacterial Canker Shot-Hole	5 – 8	Make first application before fall rains and a second at late dormant. Use higher rates when rainfall is heavy and disease pressure is high. If necessary, up to 6 gallons/A of agricultural-type spray oil may be added. Do not apply more than 45 lbs. of Cuprofix Ultra 40 Disperss (18 lbs. copper) per acre per year. Do not apply more than once every 7 days.

Rev. 01/08/2013