

Recommendation

FIFRA SECTION 2(ee) RECOMMENDATION FOR USE IN THE STATE OF CALIFORNIA

LAMBDA-CY[™] EC Insecticide-RUP

EPA Registration No. 70506-121

Instructions for Suppression of Garden Symphylan on Cole Crops (Head and Stem), Lettuce (Head and Leaf), Legume Vegetables, and Fruiting Vegetables

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This recommendation is made as permitted under FIFRA Section 2(ee).

Observe all applicable precautions, restrictions, and limitations on the EPA-approved label. This supplemental label and the federally registered label must be in the possession of the user at the time of pesticide application.

DIRECTIONS FOR USE:

For suppression of Garden Symphylan (*Scutigerella immaculate*) apply 3.2 fl. oz./A (0.025 lb. a.i./A) of Lambda-Cy EC Insecticide-RUP as a soil-incorporated treatment prior to planting. Apply in a minimum of 10 gallons per acre using ground equipment.

The total amount of Lambda-Cy EC Insecticide-RUP allowed per acre per season and the pre-harvest intervals (PHI) are listed in the table below. The soil application of Lambda-Cy EC Insecticide-RUP must be considered when calculating the total amount of product used per acre per season (soil and foliar applications).

CROP *	Total lb. a.i./A/season	РНІ
Cole Crops (Head & Stem)	0.24 lb. a.i. (1.92 pts.)	1 day
Fruiting Vegetables	0.36 lb a.i. (2.88 pts.)	5 days
Legume Vegetables	0.12 lb. a.i. (0.96 pt.)	7 days for edible podded and succulent shelled 21 days for dried shelled
Lettuce (Head & Leaf)	0.3 lb. a.i. (2.4 pts.)	1 day

^{*} Refer to the EPA-approved label for a complete listing of the registered crops.

Effective date: 6/7/10