

Recommendation

FIFRA SECTION 2(ee) RECOMMENDATION FOR DISTRIBUTION THE FOLLOWING STATES: ARKANSAS, ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY, LOUISIANA, MICHIGAN, MINNESOTA, MISSOURI, MISSISSIPPI, NEBRASKA, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, SOUTH DAKOTA, TENNESSEE, AND WISCONSIN.

MICROTHIOL® DISPERSS® EPA Reg. No. 70506-187

FOR CONTROL OF TWO-SPOTTED SPIDER MITE IN SOYBEANS

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by USEPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all applicable instructions, restrictions, and precautions on the EPA-approved label. This label and the federally registered label must be in the possession of the user at the time of pesticide application.

CROP	PEST	RATE LBS/A	DIRECTIONS
Soybeans	Two- Spotted Spider Mite	5.0-10.0 (4.0 – 8.0 lbs. ai/A)	Apply Microthiol Disperss when pests first appear and repeat applications as necessary. Use the higher rates when populations are high. Thorough coverage is important to obtain optimum control.

For aerial applications, use the specified rates in a minimum of 3 gallons of water per acre. For ground applications, use the specified rates in a minimum of 20 gallons of water per acre. The addition of adjuvants (spreaders, surfactants, etc.) can increase the potential of crop injury and is not recommended.

Rev. 8/9/2012